Experimental study of speckle patterns generated by a semiconductor laser with optical feedback

Maria Duque-Gijon, Jordi Tiana-Alsina,
Giulio Tirabassi, Cristina Masoller
Departamento de Fisica, Universitat Politecnica de Catalunya
Terrassa, Barcelona, Spain

International Symposium on Physics and Applications of Laser Dynamics --IS-PALD 2023, Metz, France, November 30, 2023

UNIVERSITAT POLITÈCNICA DE CATALUNYA BARCELONATECH

Campus d'Excel·lència Internacional

cristina.masoller@upc.edu @cristinamasoll1

Research lines

- Laser dynamics

- Neural dynamics





- Complex systems



- Climate data analysis

- Biomedical data analysis







cristina.masoller@upc.edu @cristinamasoll1

Lasers, neurons, climate, complex systems?

Laser & neuronal spikes (New. J. Phys 2019)



Laser turn-on (Phys. Rev. Lett. 2020)



Polarization switching



Extreme optical pulse (optical rogue wave)



Ocean rogue wave (sea surface elevation in meters)



cristina.masoller@upc.edu @cristinamasoll1

Speckle pattern: generated by the interference of coherent waves





Many applications. Two main types

- Extract information of the light (wavemeters)
- Extract information of the medium that generates the speckle (speckle-based spectroscopy)

But

Speckle is a drawback in laser-based illumination and imaging application.

cristina.masoller@upc.edu @cristinamasoll1

Speckle reduction in double-pass retinal imaging

Problem:
The retina reflectivity is about 4%





D. Halpaap, C. E. Garcia-Guerra, M. Vilaseca, C. Masoller, "*Speckle reduction in double-pass retinal images*", Sci. Rep. 9, 4469 (2019)

cristina.masoller@upc.edu @cristinamasoll1

An example of application of speckle pattern analysis

Recovery of audio signals from silent videos of speckle patterns



C. Barcellona et al., "*Remote recovery of audio signals from videos of optical speckle patterns: a comparative study of signal recovery algorithms*", Opt. Exp. 28, 8716 (2020)

cristina.masoller@upc.edu @cristinamasoll1

Research question: can we use speckle analysis to characterize nonlinear regimes and dynamical transition?

How does the intensity of light grow during the laser turn on?





Well-known optical feedback-induced threshold reduction

How does the *coherence* of the light grow during the turn on?

cristina.masoller@upc.edu @cristinamasoll1

Experimental setup for the analysis of optical-feedback induced dynamics using speckle analysis



M. Duque-Gijon, C. Masoller, J. Tiana-Alsina, "*Abrupt transition from low-coherence to high-coherence radiation in a semiconductor laser with optical feedback*," Opt. Exp. 31, 3857 (2023).

cristina.masoller@upc.edu @cristinamasoll1

Examples of speckle images

Below threshold



Above threshold



Quantification of speckle contrast: $SC = \sigma/\langle I \rangle$

cristina.masoller@upc.edu @cristinamasoll1

Speckle analysis of the turn-on transition

L-I curves: black, log scale

Speckle contrast curves (color) SC = $\sigma/\langle I \rangle$



M. Duque-Gijon, C. Masoller, J. Tiana-Alsina, "*Abrupt transition from low-coherence to high-coherence radiation in a semiconductor laser with optical feedback*," Opt. Exp. 31, 3857 (2023).

cristina.masoller@upc.edu @cristinamasoll1

Distribution of pixel values during the turn-on transition

Speckle contrast (black) SC = $\sigma/\langle I \rangle$

Color: distribution of pixel values (log scale)

Solitary laser



Feedback from mirror



Feedback from grating



M. Duque-Gijon, C. Masoller, J. Tiana-Alsina, "*Abrupt transition from low-coherence to high-coherence radiation in a semiconductor laser with optical feedback*," Opt. Exp. 31, 3857 (2023).

cristina.masoller@upc.edu @cristinamasoll1

Spectral analysis

Speckle contrast (white) SC = $\sigma/\langle I \rangle$

Color code: optical spectrum

Solitary laser



Feedback from mirror



Feedback from grating



M. Duque-Gijon, C. Masoller, J. Tiana-Alsina, Opt. Exp. 31, 3857 (2023)

cristina.masoller@upc.edu @cristinamasoll1

Influence of the optical feedback strength

Color code: voltage in the variable attenuator (mV, controls the strength of the feedback)



Color code: speckle contrast



M. Duque-Gijon, C. Masoller, J. Tiana-Alsina, Opt. Exp. 31, 3857 (2023)

cristina.masoller@upc.edu @cristinamasoll1

Hysteresis?



M. Duque-Gijon, C. Masoller, J. Tiana-Alsina, Opt. Exp. 31, 3857 (2023)

cristina.masoller@upc.edu @cristinamasoll1

Role of the medium that generates the speckle pattern?



M. Duque-Gijon, C. Masoller, J. Tiana-Alsina, "*Experimental study of spatial and temporal coherence in a semiconductor laser with optical feedback*," Optics Express 31, 21954 (2023)

cristina.masoller@upc.edu @cristinamasoll1

Comparing MM fiber, MM + Diffuser, SM fiber + Diffuser

Solitary laser

Laser with optical feedback

MM

MMD

SMD



cristina.masoller@upc.edu @cristinamasoll1

Research question: can we try to anticipate regime transitions, from the analysis of speckle images?



We tried the permutation entropy, a well-known time-series analysis tools that has been adapted for image analysis.

cristina.masoller@upc.edu @cristinamasoll1

Ordinal analysis of two-dimensional patterns



Spatial permutation entropy

$$H = -\sum_{i=1}^{N} p_i \ln p_i$$

2x2 pixels: 24 possible patterns

SC and PE computed in a circular region with 70692 pixels.

H. V. Ribeiro et. al, PLoS ONE 7, e40689 (2012).

cristina.masoller@upc.edu @cristinamasoll1

Results



67 currents x 3 conf. x 8 images = 1608 images (solitary / feedback laser)

cristina.masoller@upc.edu @cristinamasoll1

Results



Color code:
laser current

cristina.masoller@upc.edu @cristinamasoll1

Three features allow to classify the speckle patterns according to the configuration used to generate speckles

Solitary laser

Laser with optical feedback

Pattern: x x
x x





Pattern: x
x x x
x

Accuracy of random forest classifier

Solitary laser: 99.4 % ± 0.4 %

Laser with optical feedback: 97.1 % ± 1.3 %

cristina.masoller@upc.edu @cristinamasoll1

Take home messages and outlook

1. Optical feedback induces an abrupt transition to coherent emission.

2. Combining speckle and spectral analysis we can differentiate spatial and temporal coherence.

3. Permutation entropy extracts usable information of the speckle patterns.

Ongoing and future work: how to model this system?







cristina.masoller@upc.edu @cristinamasoll1

Funding, co-authors and references

Maria Duque-Gijon

Dr. Giulio Tirabassi

Dr. Jordi Tiana-Alsina

- M. Duque-Gijon, C. Masoller, J. Tiana-Alsina, "*Abrupt transition from low-coherence to high-coherence radiation in a semiconductor laser with optical feedback*," Optics Express 31, 3857 (2023).
- M. Duque-Gijon, C. Masoller, J. Tiana-Alsina, "*Experimental study of spatial and temporal coherence in a semiconductor laser with optical feedback*," Optics Express 31, 21954 (2023).
- G. Tirabassi, M. Duque-Gijon,J. Tiana-Alsina, C. Masoller, "*Permutation entropy-based characterization of speckle patterns generated by semiconductor laser light*", Submitted (2023).

Thank you for your attention!

cristina.masoller@upc.edu @cristinamasoll1